

CLAIMS

1. A therapeutic composition for treatment of vaginal dryness comprising an effective amount of at least two herbal compounds selected from the group consisting of: aloe vera, evening primrose, red clover, dong quai, black cohosh, wild yam, chasteberry, cat's claw, chamomile, calendula flower, ginkgo biloba, and green tea, said two herbal compounds used in combination with olive oil, flax seed oil or unseeded flax oil, distilled water, propylene glycol and an effective amount of thickening agent to make said composition in gel form.

2. A therapeutic composition as in claim 1 further including an effective amount of anti-bacterial agent.

3. A therapeutic composition as in claim 2 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

4. A therapeutic composition as in claim 1 wherein said herbal compounds are evening primrose and chasteberry.

5. A therapeutic composition as in claim 2 further including an effective amount of anti-bacterial agent.

6. A therapeutic composition as in claim 3 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

7. A therapeutic composition as in claim 1 wherein said herbal compounds are dong quai and chasteberry.

8. A therapeutic composition as in claim 7 further including an effective amount of anti-bacterial agent.

9. A therapeutic composition as in claim 8 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

10. A therapeutic composition as in claim 1 wherein said herbal compounds are evening primrose and dong quai.

11. A therapeutic composition as in claim 10 including an effective amount of anti-bacterial agent.

12. A therapeutic composition as in claim 11 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

13. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 1.

14. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 2.

15. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 3.

16. A therapeutic composition in suppository form, for treatment of vaginal dryness, comprising an effective amount of at least two herbal compounds selected from the group consisting of aloe vera, evening primrose, red clover, dong quai, black cohosh, wild yam, chasteberry, cat's claw, chamomile, calendula flower, ginkgo biloba and green tea, said two herbal compounds used in combination with olive oil, propylene glycol and a wax selected from the group consisting of polyglycerin -6 octylmyristate, polyglyceryl -6 octahydroxystearate, cocoa butter and mixtures thereof.

17. A therapeutic composition as in claim 16 further including an effective amount of anti-bacterial agent.

18. A therapeutic composition as in claim 17 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propylparaben, imidazolidinyl urea and mixtures thereof.

19. A therapeutic composition as in claim 16 wherein said herbal compounds are dong quai and chasteberry.

20. A therapeutic composition as in claim 19 further including an effective amount of anti-bacterial agent.

21. A therapeutic composition as in claim 20 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

22. A therapeutic composition as in claim 16 wherein said herbal compounds are evening primrose and chamomile.

23. A therapeutic composition as in claim 21 further including an effective amount of anti-bacterial agent.

24. A therapeutic composition as in claim 21 wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propyl paraben, imidazolidinyl urea and mixtures thereof.

25. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 16.

26. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 17.

27. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim 18.

28. A therapeutic composition, in suppository form, for treatment of vaginal dryness, comprising an effective amount of at least two herbal compounds selected from the group consisting of aloe vera, evening primrose, red clover, dong quai, black cohosh, wild yam, chasteberry, cat's claw, chamomile, calendula flower, ginkgo biloba and green tea, said two herbal compounds used in combination with olive oil, propylene glycol and a polyoxyethyleneglycol having a molecular weight between about 400 and 600.

29. A therapeutic composition as in claim 28 further including an effective amount of anti-bacterial agent.

30. A therapeutic composition as in claim ~~29~~ wherein said anti-bacterial agent is selected from the group consisting of methyl paraben, propylparaben, imidazolidinyl urea and mixtures thereof.

31. A method for treatment of vaginal dryness comprising administering to a person in need of such treatment an effective amount of a therapeutic composition defined by claim ~~28~~.